




Email: admin@baldwinboats.com.au
Website: https://www.baldwinboats.com.au
19 Etiwanda Ave Mildura VIC 3500



# Mercury 1650 Racing Sterndrive

## **Specifications**

#### **Boat Details**

Price POA Boat Brand Mercury Model 1650 Racing Sterndrive Length 0.00

Year 2020 Category Boat Engines and Outboards
Hull Style - Hull Type -

Power Type - Stock Number 0

ConditionNewStateVictoriaSuburbMILDURAEngine MakeMercury

## Description

Mercury 1650 Racing Sterndrive - The 1650 is based on the same four valve technology with quad cams and dry sump efficiency as its consumer siblings. Larger turbochargers, packed with an improved compressor wheel design, provide greater airflow for enhanced power and torque. The 9.0 liter quad cam four valve (QC4v) cylinder block and head design, combined with SmartCraft Digital Throttle & Shift (DTS), provides big power with luxury-car-like drivability. The DTS system also features one- touch Smart Start and automatic throttle synchronization, as well as shadow mode for

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 0350227596

Email: admin@baldwinboats.com.au Website: https://www.baldwinboats.com.au

19 Etiwanda Ave Mildura VIC 3500

triple or quad engine applications (where two throttle levers operate all engines). Zero Effort Digital controls provide an intuitive control experience - precisely signaling driver intent to the potent powerhouses.

The 1650 is close-cooled for more uniform temperature distribution, optimal running quality and longer life. Closed cooling, combined with a ball bearing supported compressor shaft, enhances 1650 turbocharger performance and durability as well.

Offshore racers will appreciate Mercury Racing's proprietary pulse-separated exhaust tuning which keeps turbos "spooled up," virtually eliminating throttle lag and low-end torque deficit.

#### **SPECIFICATIONS**

 Crankshaft-rated Horsepower
 1650 (1230 kW)

 Full Throttle RPM Range
 6500-6800

 Displacement Liter/CID
 9.0/552

 Bore (in/mm)
 4.57/116

 Stroke (in/mm)
 4.21/107

 Compression Ratio
 7.8:1

 Cylinders
 V-8

Alternator (amp/watt) 105/1481

Controller PCM distributorless

Fuel System Sequential Fuel Injection

Fuel Requirements 112 AKI Sunoco Supreme or equivalent race fuel

Transmission Mercury Racing dry-sump hydraulic

Drive Unit Dry-sump M8

Gear Ratio Application dependent (contact Mercury Racing for additional information of the contact Mercury R

Length (in/mm) 26.69/678 Width (in/mm) 34/864

Height (in/mm) 29/737 (from crankshaft centerline)

Weight (lbs/kg) 1720/782
Warranty None\*

\*This product is highly specialized and produced in limited quantities for sale, without warranty, to qualified powerboat racing professionals.

### **Features**

Horse Power (hp) 1650 Horse Power (hp) 1650

#### **Engine Details**

Engine Make Mercury Horse Power 1650

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.